



TAYLOR COUNTY SUBDIVISION PROCEDURES AND REGULATIONS

325-674-1235

REVISED SEPTEMBER 13, 2024

TABLE OF CONTENTS

Article I	Purpose	Page 3
Article II	Regulatory Authority	Page 4
	Statutory Authority	Page 4
	Variance to Regulations	Page 5
	Plat Required	Page 5
	Exemptions to Platting Requirements	Page 5
	Enforcement & Penalty	Page 6
	Municipal Authority	Page 7
Article III	Step by Step Procedures	Page 7
	Contact County Commissioner	Page 7
	Begin Preliminary Plat & Plan Development	Page 7
	Plat and Approval	Page 8
	Construction	Page 8
	Maintenance Begins	Page 9
Article IV	Preliminary Plat and Plan Requirements	Page 9
	Preliminary Plat	Page 9
	Supporting Documents to include	Page 10
Article V	Supporting Documents	Page 10
Article VI	Final Plat	Page 10
	Filing Requirements	Page 10
	Plat Feature Requirements	Page 11
	Plat Acknowledgements and Statements	Page 13
	Approval of Plats	Page 14
	Replat or Resubdivision	Page 14
Article VII	Minimum Design and Construction Standards For Public Streets and Roads in the Subdivision	Page 15
	Right of Way Widths by Roadway Category	Page 15
	Travel-Way Widths by Roadway Category	Page 16
	Roadway Design by Roadway Category Base	Page 16
	Material Quality	Page 17
	Ornamental or Decorative Landscaping	Page 18
	Subdivision Entrances	Page 18
	Traffic Signs, Guard Posts, Speed Limits	Page 18
	Driveways	Page 19
	Mailboxes	Page 20
Article VIII	Drainage	Page 20

Article IX	Flood Plain Requirements	Page 21
Article X	Sewage Disposal, Water Supply Systems and Utilities	Page 22
	Sewage Disposal	Page 22
	Water Supply Systems	Page 22
	Certification of Groundwater	Page 23
	Utilities	Page 23
Article XI	Platting and Infrastructure Requirements for Recreational Vehicle Parks	Page 24
Article XII	Construction Security	Page 25
	Calculating Bond Amounts	Page 25
	Construction Bond	Page 26
	Trust Agreement	Page 26
	Letter of Credit	Page 26
	Extensions	Page 27
	Inspection and Enforcement	Page 27
Article XIII	Acceptance of Streets and Other Improvements	Page 27
Article XIV	Maintenance Requirements	Page 28
	Maintenance Bond	Page 28
	Other Types of Security	Page 28
	Final Acceptance and Release of Bond	Page 28
Article XV	Filing Fees and Requirements	Page 29
Article XVI	Other Provisions	Page 30
	Americans With Disabilities Requirements	Page 30
	Name Restrictions	Page 30
	Subdividing Lots within a subdivision	Page 30
	Deed Covenants or Restrictions	Page 30
	Construction on State Road system	Page 30
	Amendments	Page 31

EXHIBITS TO FOLLOW:

EXHIBIT "A"	CERTIFICATE OF CONFERENCE - Taylor County Environmental Department
EXHIBIT "B"	CERTIFICATE OF CONFERENCE – Abilene/Taylor County 911 District
EXHIBIT "C"	CERTIFICATE OF CONFERENCE – Roadways, Drainage, Other Improvements
EXHIBIT "D"	CERTIFICATE OF ACCEPTANCE – Subdivision Roads as County Roads
EXHIBIT "E"	APPLICATION FOR PERMIT TO CONSTRUCT DRIVEWAY FACILITIES
EXHIBIT "F"	WATER SERVICE AGREEMENT
EXHIBIT "G"	SUBDIVISION APPLICATION CHECK LIST

**ORDER ESTABLISHING REGULATIONS FOR SUBDIVISION PLATS,
STREET CONSTRUCTION AND DRAINAGE**

On the 8th day of August 2006, the Taylor County Commissioners' Court considered a proposal to establish regulations over the subdivision of land located in unincorporated areas of Taylor County; and the Court, having heard argument on said proposal, is of the opinion that certain regulations are needed to protect Taylor County taxpayers and purchasers of subdivision property from inadequate street and road construction, inadequate drainage, and inadequate identification of subdivision lands for tax purposes; therefore,

It is hereby ORDERED, ADJUDGED and DECREED by the Commissioner's Court of Taylor County, Texas, on this 8th day of August 2006 that the following REGULATIONS are established concerning the division of land in Taylor County, Texas, situated outside the corporate limits of any municipality.

On the 20th day of December 2022, the Taylor County Commissioners' Court approved Addendum's to the Taylor County Subdivision Development Procedures and Regulations. Furthermore, these regulations shall be in full force and effect from and after the 20th day of December 2022, and supersedes all prior regulations relating to the subject matter hereof.

**ARTICLE I
PURPOSE**

The purpose of these regulations is to provide for the orderly, safe and healthful development of undeveloped areas within the County and to promote the health, safety and general welfare of the community by providing standards for the approval and recording of subdivision plats and to set forth procedures to follow in meeting the requirements of the Taylor County Commissioners' Court for the acceptance and approval of plats and related improvements.

Specifically, the regulations have been adopted for the following purposes:

1. To establish development standards which ensure the construction of efficient roadway, drainage and utility systems, which will be to the greater good of current and future residents of Taylor County.
2. To ensure that the owner provides the necessary infrastructure, such as roadways and drainage structures to serve the proposed development and to prevent Taylor County from being unduly burdened with the cost of constructing, repairing or maintaining said infrastructure.
3. To ensure that adequate water is available to serve the proposed subdivision.

4. To ensure that proper methods of wastewater treatment and disposal are feasible and available in the proposed subdivision.
5. To furnish the developer with guidance and assistance in the expedient preparation and approval of a subdivision plat.

A plat is a document, which graphically shows the division of property, the alignment of road rights-of-way, the location of public drainage and utility easements and other important information concerning a particular parcel of land. A plat is generally prepared when a tract of land is divided into two or more tracts. The creation of these tracts often requires the dedication of roadways, drainage easements, utility easements and other land interests. A plat is a convenient method of showing these changes on a map along with its dedication language. Tracts created by a plat are easily identified in the public record and simplify land descriptions and transactions.

A plat can be used to cause transfers of land or land interests from the property owner to the public. All other conveyances of land or land rights must be accompanied by separate deeds or easements.

A *division of a tract* includes divisions made by (1) using a metes and bounds description in a deed of conveyance or in a contract for a deed, (2) by using a contract of sale or other executory contract to convey, or (3) by using any other method.

No plat shall be recorded with the county clerk unless it complies with all of the provisions of these regulations.

ARTICLE II REGULATORY AUTHORITY

2.01 Statutory Authority These regulations are adopted under the authority of the Constitution and laws of the State of Texas, particularly the following:

1. Texas Local Government Code, Chapter 232, County Regulation of Subdivisions,
2. Texas Local Government Code, Chapter 242, Authority of Municipality and County to regulate Subdivisions in and outside the municipality's Extra Territorial Jurisdiction (ETJ)
3. Texas Local Government Code, Chapter 212, Municipal Regulation of Subdivisions,
4. Texas Health and Safety Code, Chapter 366, On-Site Sewage Disposal System,
5. Title 30, Texas Administrative Code §230 and §285

6. Their successor statutes.

2.02 Variance to Regulations Variances to these regulations shall be presented to the Commissioners' Court. In making their findings, the Commissioners' Court shall take into account the nature of the existing and proposed use of the proposed subdivision and the probable effect of such variance(s) upon the public health, safety, convenience, and general welfare of the residents in the general vicinity and Taylor County as a whole. No variance should be granted unless the Commissioners' Court finds that:

1. There are special circumstances or conditions affecting the subdivision such that strict enforcement of the regulations would deprive the owner of the reasonable use of the land, and that
2. The granting of the variance will not have the effect of preventing the orderly subdivision of other property in accordance with these regulations.
3. The granting of the variance will not be detrimental to the public health, safety, and general welfare of the subdivision, other property, or Taylor County, and that
4. The granting of the variance will not transfer the burden of obtaining right-of-way or constructing improvements, presently or in the future, from the owner to Taylor County.

Such findings of the Commissioners' Court, together with the specified facts, shall be incorporated into the official minutes of the Commissioners' Court meeting at which the variance is granted.

2.03 Plat Required A plat shall be made and recorded when the owner of any tract of land situated without the corporate limits of any municipality in Taylor County, Texas, who may hereafter divide the same into two (2) or more parts to lay out:

- a. a subdivision of the tract, including an addition;
- b. lots; or
- c. streets, alleys, squares, parks or other parts of the tract intended to be dedicated to public use or for the use of purchasers or owners of lots fronting on or adjacent to the streets, alleys, squares, parks, or other parts.

2.04 Exemptions to Platting Requirements

1. the County may not require the owner of a tract of land located outside the limits of a municipality who divides the tract into two or more parts to have a plat of the subdivision prepared if the owner does not lay out a part of the tract described by section 2.03 above and,

- a. the land is to be used primarily for agricultural use, as defined by Section 1-d Article VIII, Texas Constitution, or for farm, ranch wildlife management, or timber production use within the meaning of Section 1-d-1,. Article VIII, Texas Constitution. If the tract ceases to be used primarily for agricultural use or for farm, ranch wildlife management or timber production use, the platting requirements of these regulations apply.
 - b. all of the lots of the subdivision are more than 10 acres in area
 - c. all of the lots are sold to veterans through the Veteran’s Land Board program
 - d. the owner of the land is a political subdivision of the state, the land is situated in a floodplain and the lots are sold to adjoining landowners
 - e. one new part is to be transferred to another person who will further subdivide the tract subject to the plat approval requirements of these regulations
 - f. all parts are transferred to persons who owned an undivided interest in the original tract and a plat is filed before any further development of any part of the tract.
2. The County may not require the owner of a tract of land located outside the limits of a municipality who divides the tract into four or fewer parts to have a plat of the subdivision prepared if the owner does not lay out a part of the tract described by Section 2.03 above and, if each of the lots is to be sold, given, or otherwise transferred to an individual who is related to the owner within the third degree by consanguinity or affinity
 3. These regulations shall not apply to a subdivision of any tract of land belonging to the state or any state agency, board, or commission or owned by the permanent school fund or any other dedicated funds of the state unless the subdivision lays out a part of the tract described by Section 2.03

2.05 Enforcement; Penalty. At the request of the Commissioners’ Court, the criminal district attorney may file an action in a court of competent jurisdiction to:

1. Enjoin the violation or threatened violation of a requirement established by these subdivision regulations; or
2. Recover damages in an amount adequate for the County to undertake any construction or other activity necessary to bring about compliance with a requirement established by these subdivision regulations.

3. **Criminal Penalty:** A person commits an offense, if the person knowingly or intentionally violates a requirement of these subdivision regulations. An offense under these regulations is a Class B misdemeanor.

2.06 Municipal Authority. In areas under the City of Abilene’s Extraterritorial Jurisdiction [ETJ], as defined by Section 42.021, Texas Local Government Code, or its successor statute, no plat shall be filed with the County Clerk without the authorization of the City of Abilene. Inside said ETJ the City of Abilene shall have exclusive authority to regulate subdivision development under Chapter 242, Texas Local Government Code.

In areas under all other municipality’s Extraterritorial Jurisdictions [ETJ], as defined by Section 42.021, Texas Local Government Code, or its successor statute, no plat shall be filed with the County Clerk without the authorization of Taylor County. Taylor County shall have exclusive authority to regulate subdivisions under Chapter 232, Texas Local Government Code, and other statutes applicable to counties.

ARTICLE III STEP BY STEP PROCEDURES

3.01 Contact County Commissioner in whose precinct the proposed subdivision is to be developed and get copy of current Subdivision Regulations.

3.02 Begin preliminary plat and master plan development

1. Make preliminary plan, in sketch form, using current Subdivision Regulations.
2. Submit plans to Commissioner, including the proposed name of the subdivision. Commissioner reviews plans and possibly discuss with developer.
3. Developer is required to get a certificate of conference from the Taylor County Environmental Department (see attached Exhibit A).
4. Developer is required to get a certificate of conference from the Taylor County 911 Data Base Manager (see attached Exhibit B).
5. If developer decides to continue his project, developer prepares a preliminary plat. Exhibits A & B must be included in the master plan and submitted along with the preliminary plat for review by Commissioner.
6. If review of preliminary plat shows that it is in conformance with requirements, it will be granted conditional approval.

Note: If project falls within a city’s extraterritorial jurisdiction, developer must have letter of approval of city’s planning director before final plat is

presented to Commissioners' Court for approval.

3.03 Final Plat

1. After approval of preliminary plat and master plan the owner may stake out tracts on the ground.
2. Bond may be posted to guarantee completion of improvements stipulated and submit same with a final plat and master plan for approval of the Commissioners' Court.
3. The final plat must include the approved 911 street names and numbers. A copy of the final plat, after approval, must be distributed to the 911 Administrator.
4. Court reviews proposed final plat and master plan documents.
5. Court grants approval of application, or informs developer of additional requirements.
6. After approval of the final plat and bond, developer shall record final plat and other documents with County Clerk.
7. At this time, developer may proceed with development plans and programs, and thereafter, his sale of tracts within the Subdivision.

Note: If owner elects not to file a construction bond, he shall complete all streets and other improvements, and an engineer shall submit a certificate that all improvements have met specifications. Obtain acceptance thereof as provided hereinafter prior to approval of the final plat by the Commissioners' Court and filing with County Clerk.

3.04 Construction

1. During construction, if bond has been posted, Commissioners' Court may inspect construction.
 - a. If rejected, County shall, on direction of Commissioners' Court, proceed to enforce the guarantees provided in County regulations.
 - b. If good cause exists an extension may be approved.
2. If construction is approved, it shall be evidenced by an instrument signed by the Commissioner in whose precinct the subdivision is located, only after receipt of a certificate of an Engineer that all improvements have met specifications.

Note: Construction bond is released and maintenance bond is posted before letter of acceptance is issued

3.05 Maintenance Begins

1. Owner shall maintain all streets and right-of-way and other improvements for a period of two years after date of acceptance of construction.
2. County Commissioner's Office does periodic inspection during this two year period with letters of findings sent to owner and the surety.
3. At the end of this two year maintenance period and if such streets and other improvements are in good repair, Taylor County will accept such street and other improvements for maintenance in the form of a written document from the County Commissioner.

Note: In the event any or all said streets are not being maintained in a good state of repair, owner will be advised so, in writing, and if after a reasonable time he fails or refuses to properly maintain said streets, they shall then be maintained at the cost and expense of Obligee's or the bond or cash.

ARTICLE IV PRELIMINARY PLAT AND PLAN REQUIREMENTS

Prior to construction, owners are required to submit a preliminary plat and plan for the review of the Commissioner. The preliminary plat and plan will be submitted to the Commissioners' Court after approval is received from the individual Commissioner. The documents and information required at this stage will be included in the final plat and supporting documents.

4.01 Preliminary Plat: the owner must include;

1. Layouts of proposed subdivision and tracts within the subdivision
2. Identification of approximate acreage per tract and total acreage for the subdivision
3. Location of the subdivision in relation to existing public and private roads
4. Location of proposed streets, alleys, squares, parks, or other parts of the tract intended to be dedicated for public use
5. Location of proposed utility easements
6. Location of proposed Rights-of-Way

4.02 Supporting Documents to include with Preliminary Plat

1. Certificate of Conference with the Taylor County Environmental Department -Exhibit A
2. Certificate of Conference from the 9-1-1 Addressing Office for the Abilene/Taylor County 9-1-1 District -Exhibit B

3. Tax Certificates
4. Plat application fee of \$500.00 made payable to Taylor County
5. NOTE: Preliminary plats like final plats must be prepared by a Registered Professional Land Surveyor.

**ARTICLE V
SUPPORTING DOCUMENTS**

The supporting documents are the records of important documentation and information relative to the development of the subdivision. The information contained in the supporting documents is not usually included on an actual plat. The information to be included with the supporting documents is described throughout these regulations and is listed on the checklist [Exhibit G].

**ARTICLE VI
FINAL PLAT**

6.01 Filing Requirements

1. For subdivisions outside the extra-territorial jurisdiction of a municipality
 - a. Two (2) signed and notarized original Mylar and four (4) signed paper copies
 - b. Digital plat in AutoCAD format (DWG and PDF) emailed to Taylor County Administration
 - c. One (1) original of all supporting documents
 - d. Two (2) copies of all supporting documents
 - e. One (1) alphabetical list of all subdivision road names in Microsoft Word format
 - f. Check, Money Order, or Cashiers Check made out to Taylor County Clerk by fee schedule attached

2. For subdivisions inside the extra-territorial jurisdiction of a municipality
 - a. Two (2) signed and notarized original Mylar and four (4) signed paper copies
 - b. Digital plat in AutoCAD format (DWG and PDF) emailed to Taylor County Administration

- c. One (1) original of all supporting documents
- d. Three (3) copies of all supporting documents
- e. One (1) alphabetical list of all subdivision road names in Microsoft Word format
- f. Check, Money Order, or Cashiers Check made out to Taylor County Clerk by fee schedule

Projection: Shall be defined as having a projection of the State Plane Coordinate System, NAD83 Texas North Central

- 3. The originals and copies of all supporting documents shall be submitted to the Taylor County Administration office who will distribute the originals and copies to the appropriate departments after final approval of the Commissioners' Court.

6.02 Plat Feature Requirements

- 1. the plat shall be prepared by a Registered Professional Land Surveyor, drawn to scale, signed and sealed by the surveyor preparing the plat, certifying that it represents a survey done on the ground under the direct supervision of the individual sealing the drawing
- 2. for recording purposes the plat [original] shall be drawn on a film positive material [Mylar] consisting of one or more sheets measuring no larger than twenty-two inches wide and thirty-four inches long. If two or more sheets are used, a separate key map, not part of the recorded plat, shall be prepared showing the entire area.
- 3. the plat shall accurately describe all of said subdivision or addition by metes and bounds and locate same with respect to an original corner of the original survey of which it is a part.
- 4. the plat shall indicate in writing whether land covered by plat or replat is in the ETJ of the municipality.
- 5. the plat shall indicate whether the subdivision is in a flood hazard area as defined by Taylor County F.I.R.M. Map 0006B, dated 06-01-87.
- 6. the plat shall accurately describe the dimensions of said subdivision or addition

including the dimensions of all lots, streets, alleys, parks, or other portions and showing in reasonable detail the location and width of existing streets, alleys, lots, and tracts and similar details regarding all property immediately adjacent thereto

7. the plat must contain an arrow indicating north. The scale must be shown both graphically and numerically. Bearing basis shall be noted
8. all subdivision plats shall have the flood hazard area clearly delineated on the plat and where appropriate, shall have minimum finished floor elevations for all lots located within flood hazard areas
9. lot, block and tract numbers are to be arranged in a systematic order and shown on the plat in distinct and legible figures
10. the final plat must indicate the location of dedicated easements
11. when appropriate, a smaller general locator map shall appear on the face of the plat to show the subdivision in relation to the area in which it exists
12. plat summary must indicate the following:
 - a. total acreage of all lots and tracts
 - b. acreage of road rights-of-way
 - c. linear feet of roads
 - d. number of lots
11. plat shall include a list of each taxing unit with jurisdiction in the subdivision
12. The existence of any fire suppression systems or equipment such as fire hydrants or the lack thereof shall be shown or described on the plat.

6.03 Plat Acknowledgments and Statements

1. the plat shall be duly acknowledged by the owners or by some duly authorized agent of said owners in the manner required for the acknowledgment of deeds
2. the plat shall be duly acknowledged by the lienholder in the manner required for the acknowledgment of property liens
3. The following statement shall appear on any plat containing private streets, drives, emergency access easements, recreation areas and open spaces:

“Taylor County shall not be responsible for maintenance of private streets, drives, emergency access easements, recreation areas and open spaces; and the owners shall be responsible for the maintenance of private streets, drives, emergency access easements, recreation areas and open spaces, and said owners agree to indemnify and save harmless Taylor County, from all claims, damages and losses arising out of or resulting from performance of the obligations of said owners set forth in this paragraph.”

4. The following statement shall appear on all plats whether the development requires a thorough or a limited drainage study:

“A flood hazard study has been performed and the development in the proposed subdivision will not adversely affect the interior or exterior storm water drainage or adjacent property owners. Base flood elevations (BFE) have been determined and Taylor County requires 12 inches above BFE as minimum to build elevation in a flood hazard area.”

This acknowledgement must appear with the official seal of the responsible public engineer.

5. Taylor County Judge’s and County Clerk’s certification statements
6. Additional statements or notes required as follows:
 - a. This subdivision lies in whole or in part within a flood hazard area.
 - b. This subdivision will be served by individual water wells / a public water supply.
 - c. This subdivision will be served by on-site sewage facilities / a public wastewater treatment facility.

6.04 Approval of Plats When an owner has met all the requirements and assembled the documentation required by these regulations he/she may submit them for approval to the Commissioner

1. If the owner does not include all the information required, the Commissioner shall, not later than the 10th business day after the date the application is received, notify the owner of the missing documents or other information. The owner will be allowed sufficient time to submit the missing documents or other information.

2. Acceptance by the Commissioner of the completed application shall not be construed as approval of the documentation or other information.
3. The Commissioners' Court shall take final action on a plat application, including the resolution of all appeals, not later than the 60th day after the date a completed plat application is received by the Commissioner.
4. If the plat application is disapproved, the owner shall be given a complete list of the reasons for the disapproval. The 60-day period may be extended upon written approval of the subdivider and the Commissioners' Court. Extending the 60-day period applies only to a decision wholly within the control of the Commissioners' Court.
5. The period may be extended an additional 60 days if Chapter 2007, Government Code, requires the County to perform a takings impact assessment. The Commissioners' Court shall make the determination of whether the 60-day period will be extended not later than the 20th day after the date a completed final plat application is received by the Commissioner.
6. Neither the Commissioner nor the Commissioners' Court may compel an applicant to waive the time limits described herein.
7. If the Commissioners' Court fails to take final action on the plat as required, the application is granted by operation of law and the owner may apply to a district court in the County where the tract of land is located for a *writ of mandamus* to compel the Commissioners' Court to issue documents recognizing the plat's approval.

6.05 Replat or Resubdivision

1. Once the owner of an existing lot or lots in a legally platted subdivision has followed the procedures as found in Article VI, Sections 6.01 - 6.04, the owner of an existing lot or lots in a legally platted subdivision may initiate a replat or resubdivision by notifying the Commissioner. The Commissioner will place the request on the Commissioners' Court's agenda for a public hearing (***within 30 days***).
2. All procedures found within this Order must be followed, including submission to and approval by the Taylor County Commissioners' Court.
3. A copy of all current deed restrictions and/or covenants, etc., must be submitted to the Commissioner at the time of the replat request. All original deed covenants shall remain in full force and effect for all replats and resubdivisions.
4. A proposed plat which meets the requirements of these Regulations must be

submitted to the Court signed by each owner (including lienholders) of the property to be resubdivided. The owners of property elsewhere in the subdivision need not give specific written consent.

5. After the Final Plat and supporting documents have been presented to the Commissioners' Court, the Court will make a determination if the re-plat will adversely effect the original subdivision property owners. The Commissioners' Court may require notification of all property owners within 400 feet of the property in question and may conduct public hearings on the re-plat request.
6. Replats combining lots, abandoning or relocating easements, etc., may not be required to meet all the requirements of these subdivision regulations. The owner must meet with the Commissioner to determine the necessary steps and studies to be performed prior to final plat approval.

**ARTICLE VII
MINIMUM DESIGN AND CONSTRUCTION
STANDARDS FOR PUBLIC STREETS AND ROADS IN
SUBDIVISIONS**

Right-Of-Way Widths By Roadway Category (ROW)

1. Arterial (Main highways providing access throughout the county) - 100 ft.*
2. Collector (A street which collects traffic from residential areas, serving 30 lots or more) - 60ft.*
3. Residential (A street in residential area that collects localized traffic and discharge into a larger volume collector street) - 60 ft.*

* Collector streets and residential streets will be designated on preliminary plats and approved by Commissioners Court.

NOTE: Due to variation in roadway section designs these minimum widths may need to be widened on occasion to accommodate shoulders, drainage, utilities, etc. A 15' utility easement should be provided on both sides of the prescribed County R.O.W. The utility easements are *in addition* to the county R.O.W, are located *outside* the county R.O.W and run *parallel* to the county R.O.W.

7.01 Travel-Way Widths by Roadway Category

1. Arterial - 2 lanes in each direction - inside lanes 10'; Outside lanes 12' with minimum

8' paved shoulders.

2. Collector - 24' compacted subgrade and base material with 22' paved road surface.
3. Residential - 22' compacted subgrade and base material with 20' paved road surface.

7.02 Roadway Design By Roadway Category

1. Paving Required
 - a. All arterials must be paved
 - b. Single family type subdivision roads must be paved if
 - i. It intersects another paved county road, or
 - ii. It is in a Subdivision that has more than 10 tracts.
 - c. If any multifamily or commercial development exists in Subdivision, streets must be paved.
2. Arterial - All arterials shall be paved. Minimum standards shall be:
 - a. BASE: 6" crushed limestone or 8" caliche
 - b. PAVEMENT: 2 course surface treatment of approved design or 2" HMAC pavement (TRD Type D)
3. Collector – Minimum paving standards shall be:
 - a. Base: 5" crushed limestone or caliche.
 - b. PAVEMENT: two course surface treatment or 1" HMAC pavement (TRD Type D)
4. Residential – Minimum paving standards shall be:
 - a. Base: 5" crushed limestone or caliche.
 - b. PAVEMENT: two course surface treatment or 1" HMAC pavement (TRD Type D)
5. If paving is not required, then 5" crushed limestone or caliche, post compacting, shall be mandatory - 60 ROW - 20' road width.
6. All roads that dead-end must have cul-de-sac at dead end. Cul-de-sac must have 100' radius of compacted base material. If road is paved, cul-de-sac must be paved at a 100' radius.

7.03 Base Material Quality -

1. Crushed limestone base requirements
 - a. P.I. - Not to exceed 15.00
 - b. L.L. - Not to exceed 35.00
 - c. Screen Analysis
 - i. 0% - 10% retained 1 3/4"
 - ii. 45% - 75% retained No. 4
 - iii. 60% - 85% retained No. 40
2. Caliche shall meet the following material quality requirements
 - a. P.I. - Not to exceed 15.0
 - b. L.L. - Not to exceed 40.0
 - c. Screen Analysis
 - i. 100% passing - 1 3/4"
 - ii. 50% - 85% retained - No. 40
1. Both subgrade and base material shall be compacted to 95% (Standard Proctor) of maximum dry density. Number of test to be per 500' or at discretion of the Commissioner.
2. As these standards are specified minimums, the Commissioners' Court may find it necessary, due to certain conditions of use, subgrade quality, etc. to specify more base or other special treatment to accommodate the additional design requirements. Further, the Commissioners' Court has the authority to waive the pavement requirement when deemed not necessary when considering the size of the subdivision, the location or function of proposed streets or roads.
3. These standards of quality for materials and construction documents shall be verified by written report and included in the supporting documents. A registered professional engineer and an acceptable testing laboratory, as approved by the Commissioner shall prepare these reports.

7.04 Ornamental or Decorative Landscaping and Irrigation No decorative squares, trees, "islands", ornamental entrances or any other obstruction to traffic shall be constructed or preserved within the right-of-way of a road dedicated to the public

without the written consent of the Commissioner. If landscaping and/or irrigation are proposed within the right of way, the owner shall create a body (utility district, homeowners association, neighborhood association, etc.) that will be responsible for the maintenance and liability of the landscaping and/or irrigation system. This body shall have assessment authority to insure the proper funding for maintenance. Procedures for maintenance and upkeep of these areas shall be set forth in the Deed restrictions or covenant records.

7.05 Subdivision Entrances

1. Subdivision entrances entering off a county road or a state highway shall meet the approval of Commissioners' Court and/or the Texas Highway Department Resident Engineer.
2. A subdivision with private roads shall have a sign posted at the entrance to the subdivision that indicates that the roads in this subdivision are private roads and not maintained by Taylor County.

7.06 Traffic Signs, Guard posts and Speed Limits – Signs and guard posts shall be installed by the owner in accordance with the manual on Uniform Traffic Control Devices for Streets and Highways and as directed by the Commissioner.

1. Traffic Stop Requirements
 - a. Engineer Grade Reflective Sheeting on 0.080 Aluminum
 - b. Octagon (stop) 24" X 24"
 - c. Triangle (yield) 30" X 30" X 30"
 - d. Square (regulatory signs) 24" X 24"
 - e. Rectangle (regulatory signs) 24" X 18"
 - f. Rectangle (large arrows) 48" X 24"
2. Street Signs
 - a. Engineer grade reflective sheeting on aluminum
 - b. White lettering on green background for COUNTY ROADS
 - c. White lettering on red background for PRIVATE ROADS
 - d. Black lettering on white background for SPEED LIMIT SIGNS
 - e. Use 4" Series C (or B) upper-case letters on 6" street name sign blank (flat blade)
 - f. Use 2" Series C (or B) upper-case letters for street, lane, road, etc.

3. "U" Channel Posts
 - a. Length ~ 10' – 2 pounds per foot weight
 - b. Color ~ Green
4. Guard Post requirements
 - a. 4" square reflective yellow delineator on "u" channel post 6' 1.12 lb. per foot, galvanized.

Reflecting street signs shall be installed by the developer at all intersections and at other points where appropriate within or abutting the subdivision. Street signs shall be placed in a uniform manner throughout the subdivision. Signs shall be placed on approved metal posts 5' above the pavement in accordance with the Texas Department of Transportation Standards and at the expense of the developer. The developer shall consult with the Commissioner prior to the placement of any traffic signs or guard posts.

All private roads [drives and streets] will be signed in a manner that indicates its private status.

5. Speed Limit Requirements
Unless the Taylor County Commissioner's Court determines that a lower speed limit is necessary in particular circumstances, the speed limit on streets within the subdivision shall be set at 30 miles per hour in accordance with Section 545.352 of the Texas Transportation Code.

7.07 Driveways –

Driveways must be user friendly, must not block natural drainage and must be provided by the owner. The engineer's report will determine the necessity of a culvert, its size and type. The County shall install the culvert at the property owner's expense or approve someone else to do the installation. The finished portion of the driveways must be at least twenty (20) feet wide and shall extend from the owner's property line to within six (6) feet of the paved portion of the county road. No structures, including but not limited to, retaining walls or planters, built of rock, wood, brick, concrete, metal or similar materials will be erected on county ROW without the written consent of the Commissioner. A Permit to Construct Driveway Facilities shall be obtained from Taylor County prior to constructing driveways and entrances accessed by county roads or county rights of way. If the culvert installation is completed by Taylor County, the permit fee shall be waived. The application for the permit is included in the Subdivision Application packet, Exhibit "E". A 911 address number shall be provided by and erected by the owner on the driveway, so as to be visible and readable from the public road.

- 7.08 Mailboxes –** Where rural route mailboxes are in use, such boxes shall be set three feet from the edge of the pavement or behind curbs, when used. All mailboxes

within county ROW should meet the current Texas Department of Transportation standards.

- 7.09 Placement of dumpsters on County Right-Of-Way** - All dumpsters on county roads are required to be placed 3-10 feet from the edge of the pavement and the county right-of-way line of property.

ARTICLE VIII DRAINAGE

All subdivision proposals shall have adequate drainage provided to reduce exposure to flood hazards and lots shall be shaped and sized so as to provide adequate building space. It is recommended that all structures developed in Taylor County on lots that are lower than the road or roads on which they abut shall have a finished floor elevation of no less than one (1) foot above the finished grade of the uphill side of the proposed structure.

- 8.01** For every subdivision, a study shall be performed by a registered professional engineer that addresses both interior and exterior storm water runoff and includes design information on all conveyances, required easements in completed form, base flood elevation data, and notation of design finished floor elevations as well as other pertinent details peculiar to the drainage requirements of the area in question (e.g.) culverts, bridges, etc.
- 8.02** Comparisons with requirements of Article IX (pg.21) of this document shall be delineated to the satisfaction of the Commissioner's Court. In the event that a proposed subdivision involves no drainage problems, or only requires study on a limited basis, the report furnished to the County by the engineer shall reflect that attention was directed to all the requirements of a comprehensive study, and only those delineated were found applicable to the subdivision in question.
- 8.03** All subdivision proposals shall have public utilities and facilities such as sewer, gas, electrical and water systems located and constructed so as to minimize flood damage.
- 8.04** The peak discharge of storm water runoff, both within the subdivision and the outflow from the subdivision, must not exceed the peak discharge of the property in the undeveloped state.
- 8.05** All ROW ditches will be constructed using a 10-year rainfall frequency. All structures, culverts, bridges, low water crossings will be designed on a 25-year flood frequency. In a subdivision where the road crosses a major creek (i.e. Elm Creek, Jim Ned, and

others), the design frequency will be determined by the Commissioners Court.

- 8.06** A statement, signed by the engineer, must accompany the final plat (must be included in the supporting documents) certifying that all requirements within and relating to this article have been met.
- 8.07** Before final acceptance for a subdivision is given by the Commissioners' Court for street and drainage work, the Engineer responsible for the design of said work shall issue a letter to the County stating that he has made an inspection of such improvements and recommends their acceptance by the County. Attached to his letter shall be one set of "as built" drawings showing the work to be accepted for use by the County.
- 8.08** An additional statement, signed and certified, must be included in the supporting documents that indicates or estimates the total cost of construction for the drainage improvements to meet the requirements of these regulations.

ARTICLE IX FLOOD PLAIN REQUIREMENTS

- 9.01** The extent to which the subdivision lies, in whole or in part, in the flood plain must be delineated on the final plat
- 9.02** Any subdivision lying in any area subject to the Taylor County Regulations for Flood Plain Management must be shown to be in compliance with those regulations before any plat thereof will be approved. These requirements are in addition to plat feature requirements. The owner of a subdivision must disclose to the potential buyer of a tract of land:
 - 1. Whether the tract is located within a flood plain area or not
 - 2. The base flood elevation
 - 3. The minimum finished floor elevation
- 9.03** Additionally, the owner shall inform in writing, each prospective buyer of subdivision lots located in flood hazard areas that such property is in an identified flood hazard area and that a Development Permit, from the Taylor County Environmental Department will be required before a structure can be placed on the property.

ARTICLE X
SEWAGE DISPOSAL, WATER SUPPLY SYSTEMS AND UTILITIES

10.01 Sewage Disposal

1. Before the process for individual lot On-Site Sewage Facilities (OSSF) can begin, owners proposing subdivisions using OSSFs for sewage disposal shall submit planning materials for these developments to the Taylor County Environmental Department. The planning materials shall be prepared by a professional engineer or professional sanitarian and shall include an overall site plan, topographic map, 100 year floodplain map, soil survey, location of water wells, locations of easements as identified in Title 30, Texas Administration Code, Chapter 285.91 (10), and a complete report detailing the types of OSSFs to be considered and their compatibility with area-wide drainage and groundwater. A comprehensive drainage plan shall also be included in these planning materials. The Taylor County Environmental Department will either approve or deny the planning materials, in writing, within 45 days of receipt.
2. When the planning materials are approved the Taylor County Environmental Department will issue the department's *"Certificate of Conference"* (see Exhibit A).
3. A tract of land that has been subdivided without compliance with these regulations will be ineligible to obtain a permit for the construction or modification of an OSSF located on that tract.

10.02 Water Supply Systems:

The proposed method of water supply shall comply with all applicable federal and state regulations.

If the proposed source of water supply for a subdivision is groundwater, the owner must submit certification that adequate groundwater is available for the proposed subdivision. If required by the county authority, the plat applicant and the Texas licensed professional engineer or the Texas licensed professional geoscientist shall use the attached form to certify that adequate groundwater is available under the land of a subdivision subject to platting under Texas Local Government Code, §212.004 and §232.001. These rules do not replace other state and federal requirements applicable to public drinking water supply systems. These rules do not replace the authority of counties within designated priority groundwater management areas under Texas Water Code, §35.019, or the authority of groundwater conservation districts under Texas Water Code, Chapter 36.

Certification of Groundwater Availability (30 TAC §230.11(c))

Must be signed by a Texas Licensed Professional Engineer or a Texas Licensed Professional Geoscientist.

I, _____, Texas Licensed Professional Engineer or Texas Licensed Professional Geoscientist (circle which applies), certificate number _____, based on best professional judgment, current groundwater conditions, and the information developed and presented in this form, certify that adequate groundwater is available from the underlying aquifer(s) to supply the anticipated use of the proposed subdivision, called _____

EXCEPTIONS TO GROUNDWATER AVAILABILITY CERTIFICATION FOR PLATTING

Said exemptions are listed as follows:

- (a) Conveyance of parcel, not for resale, to adjoining property owner.
- (b) Subdivisions of not more than five (5) lots where all lots are at least two (2) acres in size.
- (c) Revised plat does not exceed the original number of lots by more than 20%.

If the proposed source of water supply is a retail public water system, Developers who propose to supply drinking water by connecting to an existing public water system must provide a written agreement with the retail public utility. The agreement must provide that the retail public utility has or will have the ability to supply the total flow anticipated from the ultimate development and occupancy of the proposed subdivision. The agreement must reflect that the developer has paid the cost membership fees, water rights acquisition costs, or other fees associated with connection to the public water system so that service is available to each lot upon completion of construction of the water facilities described on the final plat. Please complete Exhibit "F" Water Service Agreement.

10.03 Utilities

1. The final plat must indicate the location of dedicated perpetual easements where necessary, for the installation and maintenance of poles, wires and fixtures for electric lines and telephone lines, and to permit trimming of trees which may interfere with the maintenance of such lines.
2. A certificate must be included in the supporting documents that describes the extent to which electric and telephone service will be made available to the subdivision and, if it will be made available, how and when.

**ARTICLE XI
PLATTING AND INFRASTRUCTURE REQUIREMENTS FOR
RECREATIONAL VEHICLE PARKS**

The Plat for a Recreational Vehicle Park must include each of the following:

1. A survey identifying the proposed community's boundaries and any significant feature of the community, including the proposed location of lots or spaces, utility easements and dedication of rights-of-way. The survey may also contain features to help provide the additional information required by this order.
2. Reasonable specified description of means and methods to provide adequate drainage in accordance with standard engineering practices, including specifying necessary drainage culverts and identifying areas included in the 100-year flood plain. The placement of any structure within the regulatory floodplain shall be in accordance with the Taylor County Floodplain regulations.
3. Reasonable specified description of means and methods to provide an adequate public or community water supply, including specifying the location of supply lines, in accordance with Subchapter C, Chapter 341, Health and Safety Code. If water is to be provided by a utility, a certification by the utility that water is available for each of the planned spaces or lots must be attached to the plan. See Exhibit "F" Water Service Agreement.
4. Certification that adequate groundwater is available for the development. If ground-water is the source of water supply for the development, the developer is required to obtain certification, (Certification of Groundwater Availability pg. 23) by a licensed professional engineer (or other professional designated by State law) registered to practice in Texas, that adequate groundwater is available for the development, according to the certificate form and content as promulgated by the Texas Commission On Environmental Quality (Lack of certification that suitable and adequate groundwater is available is grounds for denial of plat approval, if groundwater is the proposed source of water). The certification document shall be recorded as part of the dedication instrument and a note shall be placed on the plat that groundwater is to be the source of water.
5. Certification of adequate sewerage:
 - a. Reasonably specified description of means and methods to provide access to sanitary sewer lines, including specifying the location of sanitary sewer lines. If sewage treatment is to be provided by a utility, a certification by the utility that service for each of the planned spaces or lots is available must be attached to the plan. If the sewage is to be treated in some other way, approval by the relevant government agency that is to license or inspect the treatment facilities must be attached; or
 - b. Reasonably specified description of means and methods for providing on-site sewage facilities in accordance with Chapter 366, Texas Health and Safety Code if estimated sewage flow does not exceed 5,000 gallons per day (gpd). These description of means and methods must meet minimum standards established under Chapter 285.4 of the OSSF rules and Taylor County local order. Approval by the Taylor County OSSF Inspector's certificate must be attached to the plat.

c. Reasonably specified description of means and methods for providing sewage treatment and disposal under Chapter 26 of the Texas Water Code if estimated flow exceeds 5,000 gpd. Approval by Texas Commission on Environmental Quality must be attached to the plan.

d. Reasonably specified description of means and methods for streets or roads in the Recreational Vehicle Park to provide ingress and egress for fire and emergency vehicles.

6. Therefore, the Commissioners' Court finds that it is reasonably necessary that streets in these communities should be built to the same standards (but to no more stringent standard) than the requirements adopted by the Court for subdivisions.

The road design and construction standards contained in the Taylor County Subdivision Regulations, as amended from time to time, are therefore incorporated by reference into this order as fully and completely as if set out verbatim herein. The street or road specifications in the infrastructure development plan must comply with those standards to the maximum degree practicable. Commissioners Court (but not the engineer) may grant a variance when strict application of these standards would work and unusual hardship. Variances for OSSF can only be granted by Taylor County Environmental Department.

ARTICLE XII CONSTRUCTION SECURITY

To insure that the roadways, drainage structures and other improvements in approved subdivisions are constructed in accordance with the above specifications, owners must post a form of security, as hereinafter described, in an amount to be fixed and determined as follows:

12.01 Calculating Bond Amounts

1. Where no drainage structures or other additional construction costs are involved.
 - a. For paved streets with curb - \$50.00 per linear foot
 - b. For paved streets - \$50.00 per linear foot
 - c. Caliche or limestone road - \$50.00 per linear foot.
2. Where drainage structures are required under these regulations, add estimated cost of additional work to amount of Bond fixed above.
3. If other additional construction costs are involved, add estimated cost of additional work to amount of Bond fixed above.

The notated distances determining the linear feet involved are to be measured along the center of said street or alley between the intersections of said center lines. The construction security should be filed with the Commissioner prior to final plat approval and prior to beginning construction for approval by the Commissioners' Court. Owners

may use one of the following types of security:

12.02 Construction Bond

1. Filed with the Commissioners' Court, the bond must be executed by a surety company holding a license to do business in the State of Texas, payable to the County Judge of Taylor County, Texas, and his successors in office, approved by the Commissioners' Court, in the amount required by this ordinance and the time of completion of the improvements as estimated by the Commissioners' Court.
2. The condition of said Construction Bond shall be that the owner of said approved and accepted subdivision shall begin construction of such streets as are shown on the subdivision plat within a period of ninety (90) days from the date of the approval of the plat of said subdivision by the Commissioners' Court of Taylor County, Texas, and complete such construction in accordance with the specifications herein provided within a two (2) year period, and said Construction Bond shall remain in full force and effect until all streets and other improvements are "accepted" by Taylor County, as provided herein.
3. In the event any or all of the streets as constructed by the owner, fail to meet the requirements of the specifications herein provided and are not accepted and approved by the Commissioners' Court and the Commissioner concerned, and said owner fails or refuses to correct the defects called to his attention in writing by said Commissioners' Court, the unfinished improvements shall be completed at the cost and expense of obligees as in said orders provided.

12.03 Trust Agreement placed on deposit in a bank or trust company in the name of Taylor County, and approved by the Commissioners' Court, in a trust account, a sum of money equal to the estimated cost of all improvements required by these regulations, the cost and the time of completion as estimated by the Commissioners' Court; selection of the trustee shall be subject to approval by the Commissioners' Court and the Trust Agreement shall be executed on the form approved by the Commissioners' Court. Periodic withdrawals may be made from the trust account for a progress payment of construction costs. The amount of withdrawals shall be based upon progress work estimates approved by the Commissioners' Court. All such withdrawals shall be approved by the Trustee.

12.04 Letter of Credit from federally insured local bank or local savings and loan association or other financial institution as approved by the Commissioners' Court; has filed with the Commissioners' Court a letter, in form approved by the Commissioners' Court, signed by a principal officer of a local bank or local savings and loan association or other financial institution, acceptable to the Commissioners' Court, agreeing to pay to the County of Taylor, on demand, a stipulated sum of

money to apply to the estimated cost of installation of all improvements for which the owner is responsible under this ordinance. The guaranteed payment sum shall be the estimated costs of all improvements required by these regulations, approved by the Commissioners' Court. The letter shall state the name of the subdivision and shall list the improvements, which the owner is required to provide.

12.05 Extensions When good cause exists, the Commissioners' Court may extend the period of time for completion under 6.04, item 5 (pg 14) Such extension of time shall be reported to the Commissioners' Court and recorded in the Minutes. No such extension shall be granted unless security as provided in said Section 6.04 has been provided by the subdivider covering the extended period of time

12.06 Inspection and Enforcement If one of the three (3) types of security is filed by the owner under this Article, the Commissioner and his designees may inspect such improvements during construction and upon completion of construction. If the Commissioner rejects such construction and the owner is unwilling to make the necessary corrections, the District Attorney shall, on direction of the Commissioners' Court, proceed to enforce the guarantees provided in these regulations.

ARTICLE

XIII

ACCEPTANCE OF STREETS AND OTHER IMPROVEMENTS

13.01 Acceptance of the construction of roadways, drainage and other improvements shall be evidenced by Exhibit C as approved by the Commissioners' Court. No acceptance shall be issued until receipt of a certificate from an Engineer that all improvements have been completed in accordance with these regulations and good engineering practices. All costs associated with furnishing the necessary certificate hereunder shall be borne by owner.

If the subdivision is within the extraterritorial jurisdiction of a municipality, a certificate from the City Engineer may be submitted, in lieu of the engineer's certificate. Acceptance of the streets and other improvements will be based upon the City Engineer's certificate.

13.02 No acceptance letter shall be issued until receipt of the Maintenance Bond or cash deposit in lieu of bond, according to the requirements of Article XIV (pg.27)

13.03 The acceptance of a final plat by Taylor County does not, in any manner, obligate the County to finance or furnish any storm sewers, drainage structures, street, water or sewer improvement, or any other improvements within the approved subdivision.

ARTICLE XIV

MAINTENANCE REQUIREMENTS

14.01 Maintenance Bond To insure adequate maintenance by the Owner, each owner shall file a Maintenance Bond prior to Taylor County's acceptance of the streets and other improvements in the subdivision.

The Maintenance Bond must be:

1. Executed by a surety company authorized to do business in the State of Texas, made payable to the County Judge of Taylor County, Texas, and his successors in office.
2. The amount of the bond shall be 15% of the amount of the Construction Bond.
3. The conditions of said Maintenance Bond shall be that the Owner shall guarantee to maintain to the satisfaction of the Commissioners' Court, all of the streets shown on the accepted and approved subdivision plat, in a good state of repair for the period of two (2) years from the date of such acceptance thereof by Taylor County.
4. The Maintenance Bond shall cover the period beginning on the date of acceptance of streets and other improvements as provided herein and ending after the expiration of two (2) years after acceptance of the construction of such streets and other improvements by the Commissioners' Court in writing.
5. Periodical inspections of all of the streets that have been approved and accepted in an approved subdivision will be made by the Commissioners' Court during the period of liability covered by the Maintenance Bond, and in the event any or all of said streets are not being maintained in a good state of repair, the owner will be so advised in writing and if after a reasonable time he fails or refuses to properly maintain said streets, they shall then be maintained at the cost and expense of obligees or the bond or cash.

14.02 Other Types of Security At the option of Owner, Owner may deposit with Taylor County, Texas, United States Currency or cashier's check in an amount equal to the amount of the maintenance bond specified above, in lieu of such maintenance bond. Such funds shall be held by Taylor County for the two (2) year period after acceptance. Such funds may be used during such period for the costs of such maintenance as Owner, after written notice, fails or refuses to perform. After the expiration of such two (2) year period, such cash deposit, or the unexpended balance thereof, shall be refunded to Owner.

14.03 Final Acceptance and Release of Bond The Owner shall be responsible for maintenance of all streets, rights-of-way, and other improvements for a period of two (2) years after the date of acceptance, as provided for in 12.01 above. After the expiration of the two (2) year period, if such streets, rights-of-way and other improvements are in good repair, Taylor County will accept such streets, rights-of-way and other improvements for

maintenance as evidenced by Exhibit D.

**ARTICLE XV
FILING FEES and REQUIREMENTS**

Developers are required to submit the following fees:

1. Taylor County application fee: \$ 500.00 for submitting plats and/or replats
2. County Clerk's Recording fees:

(REQUIRED FOR RECORDING *with* MYLAR PLAT)

MYLAR PLAT	\$172.00	Plus \$50.00 for second page if required by subdivision size or other requirements (There's one Mylar per subdivision filed, the 2 nd original Mylar is file marked by the County Clerk and provided to the Environmental Director)
RETURN ADDRESS SLIP		1 original Plat <i>plus any remaining documents will be mailed by the County Clerk to the City or person at this address</i>
CERTIFICATION		<i>returned to City by County Clerk. No fee</i>
PROOF OF RECORDING		returned to City by County
Clerk. No fee EXHIBIT A:		CERTIFICATE OF CONFERENCE Issued by the County Environmental office. File copy for Commissioner only. No fee
EXHIBIT B		911 ADDRESSING CERTIFICATE Signed and approved by the City (File copy for Commissioner only) not recorded. No fee

ORIGINAL MYLARS:

1. Must state whether subdivision is in Extra Territorial Jurisdiction (ETJ).
2. Must state whether subdivision is in flood area.
3. Must be dated when signed.
4. Must have printed name under all signatures.

5. Must have clear notary's name, seal and expiration date *and acknowledgement complete with name of person being acknowledged.*
6. Owner must return 6 paper copies of fully executed, file-marked Mylar to Commissioners' office within reasonable amount of time.

ARTICLE XVI OTHER PROVISIONS

16.01 Americans With Disabilities Requirements - Section 35.151 (e) - All newly constructed or altered streets, roads, and highways must contain curb ramps or other sloped area at any intersection having curbs or other barriers to entry from a street or road level pedestrian walkway. Additionally all newly constructed or altered street level pedestrian walkways must contain curb ramps or other sloped areas at intersections to street, roads or highways.

16.02 Name Restrictions - The name of the proposed subdivision or any of the physical features, such as streets, must not be so similar to other features in Taylor County or in any incorporated town or city herein as to cause confusion. Street names and numbers must be coordinated with the Taylor County/City of Abilene 911 Program Specialist. Appendix B must be included in the supporting documents submitted along with the final plat before approval is given.

16.03 Subdividing Lots within a Subdivision – Once a subdivision receives final approval by the Commissioners' Court no further alteration, or modification of the approved plat is authorized. This provision also applies to new owners within the subdivision. However, owners may apply for a revision to the subdivision plat to accomplish these changes (Section 6.05 pg.11).

16.04 Deed Covenants or Restrictions – Each subdivision must have an approved list of restrictions, if any, to include minimum size homes, minimum lot size, mobile homes allowed – or not – and who is to enforce the restriction. The Commissioners' Court must be provided with a copy of the restrictions in the supporting documents.

16.05 Amendments - These regulations are subject to amendment from time to time. All persons are advised to consult the Commissioners' Court to acquaint themselves with any such amendments.

16.06 Construction on State Road System – Subdivisions constructed on state roads or highways are subject to additional regulations from the Texas Department of Transportation. These regulations include but are not limited to driveway and entrance requirements, line of sight issues, culverts, drainage and other design issues. Developers must work with Texas Department of Transportation officials to

ensure compliance with state regulations.

08/08/2006 – Approved and Adopted by Taylor County Commissioners’ Court

12/20/2022 - Addendums Adopted by Taylor County Commissioners’ Court

2/28/2023 – Addendums Approved

8/30/2024 – Amendment of EXHIBIT “B” Certificate of Conference Abilene/Taylor County 911 District

EXHIBIT "A"
Certificate of Conference
Taylor County Environmental Department

I, Justin Williams, Director of the Taylor County Environmental Department, hereby certify that I have received a Subdivision Review prepared by a Professional Engineer or a Registered Sanitarian from _____ on the _____ day of _____, regarding a proposal to develop a new subdivision to be called _____, and generally located on _____.

I have provided the above-named developer with copies of the following regulations and requirements:

1) Taylor County Subdivision Regulations regarding Floodplain Development and On-Site Sewage Facilities

2) Procedure for Subdivision Development in Unincorporated Taylor County

I have advised the developer of his/her obligation to comply with all applicable county, state, and federal regulations. If the proposed subdivision is in the extra territorial jurisdiction of the City of Abilene, he/she must comply with all regulations, ordinances and requirements of the City of Abilene as well.

By his/her signature below, the developer acknowledges his/her receipt of a copy of this certificate.

Developer/Agent

Justin Williams, Director
Taylor County Environmental Department

Date

Date

*After completing your portion and signing of EXHIBIT "A", email the form along with the prepared Subdivision Review to justin.williams@taylorcounty.texas.gov. Once the Environmental Director has reviewed and signed, EXHIBIT "A" will be returned to you along with the regulations and requirements.

EXHIBIT "B"

**Certificate of Conference
Abilene/Taylor County 911 District**

The 911 Addressing Office for the Abilene/Taylor County 911 District hereby certifies they have received this request from _____ on the _____ day of _____, regarding the street names for a proposal to develop a new subdivision in an unincorporated area of Taylor County to be called: _____

Proposed 911 Street Name

Abilene/Taylor County 911 District certifies the street names referenced above are acceptable to 911 and are not duplicated within Taylor County.

By his/her signature below, developer acknowledges above street names will be final and no changes can be made upon receipt of the signed, approved Certificate of Conference. Developer also acknowledges responsibility of providing and installing street signs within the development and must consult with the appropriate Commissioner on requirements.

Owner

911 Addressing Office for the
Abilene/Taylor County 911 District

Date Signed

Date Signed

*After completing your portion and signing of EXHIBIT "B", email the Certificate along with the Preliminary plat in DWG & PDF format to: addressing@abilenetx.gov with the subject line as: **CERTIFICATE OF CONFERENCE -INSERT SUBDIVISION NAME or DEVELOPER NAME**. Once the addressing department has reviewed and finalized the street names, the Certificate will be returned to you. For questions regarding this form contact 325-674-1235.

EXHIBIT "C"

**Certificate of Acceptance of Construction
Roadways, Drainage, and Other Improvements**

The Taylor County Commissioners' Court met on the _____ day of _____ in regular session. After careful review and discussion, the construction of roadways, drainage and other improvements in the _____ subdivision were accepted.

As a condition of this acceptance, the following has been received from the owner:

1. Registered engineer's or acceptable testing laboratory's report that roadway construction materials and methods have met or exceeded the minimum required by Taylor County's subdivision regulations.
2. Registered engineer's statement that all requirements within and relating to drainage requirements have been met or exceeded.
3. Responsible engineer's letter(s) that he/she has made a final inspection and all construction of roadways, drainage and other improvements and certifies that they have met or exceeded the requirements of Taylor County's subdivision regulations.
4. Attached to the letter (referenced in #3 above) shall be one set of "as built" drawings showing the work to be accepted for use by the County.
5. Maintenance Bond or other form of security as specified in Article XIII, Taylor County Subdivision Regulations.

The acceptance is conditioned on the accuracy and completeness of the above reports, statements and certifications.

After receiving this certification, the County will release the Construction Bond

By his/her signature below, the owner acknowledges his/her receipt of a copy of this certificate.

Owner

Commissioner
Taylor County

Date signed

Date signed

Attest: County Clerk

EXHIBIT "D"

**Certificate of Acceptance
Subdivision Roads as County Roads**

The Taylor County Commissioners' Court met on the _____ day of _____,
In regular session to discuss the acceptance of roadways, drainage and other improvements in the
_____ Subdivision.

The construction of said roadways, drainage structures and other improvements within and without
the subdivision were approved by the Commissioners' Court on the
_____ day of _____, _____.

After careful consideration and as recommended by Commissioner _____
the roadways, drainage and other improvements in the _____ subdivision
have been approved and accepted as County Roads and will be maintained as such according to
County policy.

By his/her signature below, the owner acknowledges his/her receipt of this certificate.

Owner

Commissioner
Taylor County

Date signed

Date signed

Attest: County Clerk

EXHIBIT "E"

**APPLICATION FOR PERMIT TO CONSTRUCT DRIVEWAY FACILITES
ON COUNTY ROAD RIGHT-OF-WAY**

Applicant: _____

Address: _____

Phone: _____

1. All driveway culvert pipes shall be, at minimum, 16 inch gauge steel.
 2. The minimum length for a culvert pipe installed is 30 ft. and maximum being 60 ft.
 3. All construction and materials shall be subject to inspection and approval by the respective County Commissioner or designee.
 4. Maintenance of the facilities constructed shall be the responsibility of the grantee, and the County reserves the right to require any changes, maintenance or repairs as may be necessary to provide protection of life or property.
 5. The Grantee shall hold harmless the County and it's duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the exercise of this permit.
 6. The permit holder shall assume full responsibility for notification, coordination and relocation of utility facilities impacted by the proposed access.
 7. This permit will become null and void if the above referenced driveway facilities are not constructed within six (6) months from the issuance date of this permit.
 8. Permit fee \$25.00 - If the culvert installation is completed by Taylor County, the permit fee shall be waived.
-

PLEASE PLACE OR HAVE COPY OF PERMIT ON LOCATION.

ROAD CLOSURES ON TAYLOR COUNTY ROADS DUE TO REPAIRS OR MAINTENANCE IS PRHOIBITED. OPEN CUT DITCHES OR TRENCHES ON COUNTY ROADS IS PROHIBITED. NOTIFICATION TO TAYLOR COUNTY ROAD & BRIDGE (325)674-1235 FOR NEW CONSTRUCTION ON COUNTY ROADS WILL REQUIRE 24 HOUR ADVANCE NOTICE.

BY THIS GRANTING OF PERMIT, THE COUNTY DOES NOT ASSUME ANY RESPONSIBILITY FOR AND IS NOT RESPONSIBLE FOR ANY DAMAGE (S) FROM ANY SOURCE THAT MIGHT OCCUR TO MATERIAL AND/OR OBJECTS PLACED ON COUNTY RIGHT-OF-WAY.

Applicant's signature:

Taylor County Commissioner's Signature:

Date

Date

EXHIBIT "F"

WATER SERVICE AGREEMENT

AGREEMENT REGARDING WATER SERVICE FOR THE PROPOSED _____ SUBDIVISION.

PARTIES: This Agreement is by and between the Utility and the Subdivider, to wit:

The Utility is the governing board or owner of a retail public utility which supplies of drinking water known as _____.

The Subdivider is _____, who is the owner, or the authorized agent of the owner, of a tract of land in Taylor County, Texas, that has been proposed to be divided into a subdivision known as: _____.

TERMS: The Subdivider has prepared a plat of the Subdivision for submission to Taylor County for its approval. The Subdivider plans to construct for the Subdivision a drinking water distribution system to be connected to the Utility's public water system. The Utility has reviewed the plans for the Subdivision (the Plans) and has estimated the drinking water flow anticipated to be needed by the Subdivision under fully built-out conditions (the anticipated water flow) to be approximately _____ gallons daily.

The Utility covenants that it has or will have the ability to provide the anticipated water flow for at least thirty years, and that it will provide that water flow. These covenants will be in effect until thirty years after the plat of the Subdivision has been recorded and the Subdivision's water distribution system has been connected to the Utility's water supply system.

The Subdivider covenants that the water distribution system will be constructed as shown in the Plans and as provided for through the plat-approval process so that the residents of the lots of the Subdivision may receive drinking water service from the Utility. Upon completion of the water distribution system and upon its approval and acceptance by the Utility, the Subdivider will convey to the Utility all right and title to the water distribution system.

The Subdivider has paid the Utility the sum of \$ _____ which sum represents the total costs of water meters, water rights acquisition fees, and all membership or other fees associated with connecting the individual lots in the Subdivision to the Utility's water supply system.

The above provisions notwithstanding, this Agreement shall no longer be in effect if the plat of the Subdivision is not approved by Taylor County or by a municipality whose approval is required.

By affixing his or her signature to this Agreement, the person signing for the Utility warrants that he or she is authorized to sign this Agreement on behalf of the Utility. By affixing his or her signature to this Agreement, the person signing for the Subdivider warrants that he or she is authorized to sign this Agreement on behalf of the Subdivider.

The Utility
By: _____
Printed Name: _____
Office or Position: _____
Date: _____

The Subdivider
By: _____
Printed Name: _____
Office or Position: _____
Date: _____

EXHIBIT "G"

**Subdivision Application
Check List**

Preliminary Plat

- _____ Exhibit A – Certificate of Conference – Environmental Department
- _____ Exhibit B – Certificate of Conference – 911 Addressing District
- _____ Tax Certificates
- _____ Plat application fee of \$500.00 made payable to Taylor County

Final Plat & Features

- _____ Signed originals (mylars), paper copies and digital format emailed
- _____ Metes and bounds description for subdivision
- _____ Proposed and existing lots, streets, alleys, and park dimensions
- _____ Compass point and bearing basis
- _____ Flood hazard area if applicable
- _____ Minimum finished floor elevations per lot (In flood hazard areas)
- _____ Lot, Block and Tract numbers
- _____ Dedicated easements
- _____ Small general locator map
- _____ Plat summary
- _____ Taxing jurisdictions
- _____ Fire suppression systems if applicable

Acknowledgements and Statements presented on Plat

- _____ Owner/Deed acknowledgement
- _____ Lienholder acknowledgement if applicable

- _____ Private streets and other facilities statement if applicable
- _____ Flood hazard and storm water drainage study statement
- _____ Water supply statement
- _____ County Judge and County Clerk certification
- _____ Sewage/Wastewater supply statement
- _____ Construction Security
- _____ Construction Bond
- _____ Trust Agreement
- _____ Unconditional Guarantee

Other Certificates, Statements or Letters

- _____ OSSF Certificate of Compliance
- _____ Documents describing homeowners association, if applicable
- _____ For subdivisions using a public water supply, Exhibit F – Water Service Agreement
- _____ For subdivisions using groundwater, signed Certification of Groundwater Availability (pg. 21)
- _____ Electricity and telephone utilities availability
- _____ Subdivision restrictions, if applicable
- _____ Engineer’s report on Construction Standards Documents
- _____ Engineer’s study – all aspects of the drainage plan, including interior and exterior storm water runoff and design information on all drainage structures.
- _____ Engineer’s letter of inspection
- _____ “As Built” drawings for all drainage structures
- _____ Certification or statement of drainage structure’s construction cost
- _____ Exhibit C – Commissioners’ approval of roadway construction
- _____ Maintenance bond or other type of maintenance security